

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

**4M**Pri

Article-No.: 01033

Description: BASIC TOUCH

Latex examination glove white, non sterile, powder free

THICKNESS		
cuff	palm	fingertips
0.07 mm	0.10 mm	0.11 mm



PRODUCT DESCRIP	TION						
material	☑ Latex	Nitrile	□ Vinyl	☐ Vinyl-Nitrile-	Polyethy-lene	☐ TPE	☐ cotton
				mixture	(PE)		
colour	✓ white	☐ blue	black	☐ mint	☐ purple	☐ mix	apple-green
characteristics	prepowdered	powderfree	sterile	✓ non sterile	✓ ambidex-	fits hand-	☐ biodgra-
					trous	specific	dable
surface	✓ full textured	finger	☐ not textured	embossed	polymer coate	d inside	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
DECLILATORY AFEA	IDC						
REGULATORY AFFA							
PPE-Regulation	☐ Category I	☐ Category II	✓ Category III	☐ no PPE-article			
(EU) 2016/425		- Cl .:					CE
MD-Regulation	☑ Class I	☐ Class II a	☐ Class III	□ sterile	☐ measuring	no medical	
(EU) 2017/745					function	device	
Food Contact	□ acidic foods	☑ aqueous		☑ alcoholic		☐ not approved	ויין ד
(EG) 1935/2004		foods		foods		for food-	201
						contact	
STANDARDISATION							
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance	tear resistance	resistance	resistance	impact test	
Nisks	resistance	Coupe-Test		resistance	TDM-Test		
Level	not applicable	coupe rest			TDIVI TESE		
	chemical		code letter	level	permeation time	degradation	
EN 374-1	Sodium hydroxide	40%	K	6	> 480 min	-62,5 %	ISO 374-1/Type B
Chemical Risks	Hydrogen Peroxide		P	2	> 30 min	-31,9 %	130 374-1/Type B
EN 374-4	Formaldehyde 37% T 4 > 120 min -87,4 %						
	Torritalactiyac 377	0	'	7	> 120 mm	07,470	$(\Delta)$
Degradation							
							KPT
EN 374-5				EN ISO 374-5:2016			
microorganism	6.010.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.			<b>⊗</b>			
tightness				VIRUS			
N 420 protective The glove meets the requirements according to EN 420							
gloves	The grove meets the requirements according to EN 420						
Bioves							
EN 455	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4			E N.			
medical gloves for	s for			EN			
single use	455			455			
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1,			AQL			
freedom from holes				(1.5)			
	(1.3)						
- Incedent from flores	0 1 1 1						
ISO 18889	not applicable	· 					
ISO 18889		· · · · · · · · · · · · · · · · · · ·					



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: 01033

Description: BASIC TOUCH

Latex examination glove


white, non sterile, powder free

LOGISTIC DATA S		
generell information	n	
material		carton
pieces per subpackii		100
GTIN subpacking siz		4044941005201
GTIN subpacking siz		4044941005218
GTIN subpacking siz		4044941005255
GTIN subpacking siz		4044941005232
GTIN subpacking size XL		4044941005249
GTIN subpacking siz	e XXL	-
GTIN subpacking siz	e XXXL	-
PZN subpacking size	XS	15577768
PZN subpacking size S		15577751
PZN subpacking size M		15577745
PZN subpacking size L		15577739
PZN subpacking size XL		15577722
PZN subpacking size XXL		=
PZN subpacking size XXXL		=
measures & size		
length		220 mm
width		115 mm
heigth		67 mm
weights		
size	net weight	gross weight
XS	400 g	460 g
S	450 g	510 g
М	500 g	560 g
L	550 g	610 g
XL	600 g	660 g
XXL	=	-
XXXL	-	-

LOGISTIC DATA PALETTE			
general information	on		
kind of palett		euro-palette	
measures & size			
cartons per layer		9	
layers per palette		7	
heigth of the palette		173 cm	
weights			
size	net weight	gross weight	
XS	321 g	346 g	
S	353 g	378 g	
M	384 g	409 g	
L	416 g	441 g	
XL	447 g	472 g	
XXL	=	-	
XXXL	-	-	



LOGISTIC DATA	OUTER PACKING	
generell informati		
material		carton
subpackings per o	uter packing	10
GTIN outer packing	g size XS	4044941005256
GTIN outer packing	4044941005263	
GTIN outer packing	g size M	4044941005270
GTIN outer packing	g size L	4044941005287
GTIN outer packing	g size XL	4044941005294
GTIN outer packing	g size XXL	-
GTIN outer packing	g size XXXL	-
PZN outer packing	size XS	-
PZN outer packing	size S	-
PZN outer packing size M		-
PZN outer packing size L		-
PZN outer packing size XL		-
PZN outer packing size XXL		-
PZN outer packing size XXXL		-
measures & size		
length		343 mm
width		233 mm
heigth		225 mm
weights		
size	net weight	gross weight
XS	4.600 g	5.100 g
S	5.100 g	5.600 g
M	5.600 g	6.100 g
L	6.100 g	6.600 g
XL 6.600 g		7.100 g
XXL	-	-
XXXL	-	-





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: 01033

Description: BASIC TOUCH

Latex examination glove

white, non sterile, powder free



## WARNINGS AND SAFETY INFORMATION

storage /	expiry
date	

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

## disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

## disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

### warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions

# donning and doffing instructions











rev-no.: 8

date 09.09.2024

changes and errors excepted