

	Technical data sheet	Attachment no. 6 pt. 1 subpt. 1.1
	TD-41 dicoNEX	Edition II 2019.02.27
	Single use syringe, 3-part	Page 1/2

MEDICAL DEVICE DATA:			
CATALOGUE NUMBER	002ML-3CZ-BL		
MANUFACTURER	ZARYS International Group sp. z o.o. sp.k., Poland		
CLASSIFICATION	II a	RULE	2
METHOD OF STERILIZATION	Ethylene oxide	CODE OF GENERIC DEVICE GROUP ACCORDING TO GMDN	47017
PERFORMANCE CHARACTERISTICS	<ul style="list-style-type: none"> 3-part syringe for intramuscular, intravenous and subcutaneous injection Intended for administering drugs / liquids / food to the patient. It can also be used to take body fluid samples from the patient 		
CURRENT TECHNICAL STANDARDS ARE APPLICABLE TO THE DEVICE	ISO 7886-1 Sterile hypodermic syringes for single use		

TECHNICAL DATA:	
RAW MATERIALS	<ol style="list-style-type: none"> 1. barrel – polypropylene 2. plunger/piston – polypropylene 3. rubber sealing – polyisoprene rubber (synthetic) 4. silicone oil (polysiloxane)
COLOUR	<ol style="list-style-type: none"> 1. barrel – transparent 2. plunger/piston – green 3. rubber sealing – black 4. silicone oil – transparent
FEATURES	<ul style="list-style-type: none"> three-piece syringe transparent barrel allows perfect visualization of the content green contrasting plunger luer nozzle with dead space 0,035 ml sealing in the form of a double ring on a plunger stopper situated on the top of plunger smooth plunger movement thanks to rubber sealing and silicone oil on the inner surface of the barrel limitation flange securing against accidental removal of the plunger name of the syringe and manufacturer's logo placed on the barrel clear, legible and permanent black graduation facilitating dosing every 0,1ml single-use, non-pyrogenic, non-toxic latex-free phthalate-free EO sterilized shelf life: 5 years
VARIABLES	-
SIZE/CAPACITY	2 ml

	Technical data sheet	Attachment no. 6 pt. 1 subpt. 1.1
	TD-41 dicoNEX	Edition II 2019.02.27
	Single use syringe, 3-part	Page 2/2

TECHNICAL DRAWING	 <p>Fig. 1 Syringe 002ML-3CZ-BL</p>
------------------------------	---

DESCRIPTION OF PARTS OF THE PRODUCT AND ITS FUNCTION	<ul style="list-style-type: none"> barrel – a graduated container with a luer nozzle clear, legible and permanent black graduation every 0,1 ml to facilitate precise dosing plunger/piston – integral construction with a push-bottom. Allows the piston to be moved along the entire length of the barrel rubber sealing – ensures smooth piston movement along the entire length of the barrel and guarantees tightness of the syringe silicone oil – covers the inner surface of the barrel allowing a smooth movement of the sealing rubber
---	---

DETAILED DIMENSIONS / SPECIFICATION	dimension	A	B	C	D	E (I.D.)	F (I.D.)	G
	REF							
	size tolerance							
002ML-3CZ-BL		57,5 mm	48 mm	54 mm	22,6 mm	Ø 9,05 mm	Ø 2,35 mm	Ø 11,8 mm
		±0,3 mm	±0,3 mm	±0,3 mm	±0,2 mm	±0,05 mm	-	±0,1 mm

PACKAGING	type of packaging	number of pieces	packaging material	packaging size [mm]
	individual	1 pc.	paper/foil	120 x 38
	intermediate	100 pcs	mixed paper	180 x 120 x 155
	bulk	30 x 100 pcs	corrugated cardboard	615 x 485 x 380

STORAGE CONDITIONS	temperature:	-5°C – 40°C
	humidity:	30% – 80%